09/806484 JC02 Rec'd PCT/PTO 1 2 APR 2001

DOCKET NO.: 2054050S2PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Jan ARWALD, et al.

SERIAL NUMBER: NEW U.S. PCT APPLICATION (based on PCT/SE99/01830)

FILED:

HEREWITH

FOR: METHOD, SYSTEM AND DEVICE FOR ESTABLISHING COMMUNICATION BETWEEN DIFFERENT COMMUNICATION NETWORKS

REQUEST FOR CONSIDERATION OF DOCUMENTS CITED IN INTERNATIONAL SEARCH REPORT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In the matter of the above-identified application for patent, notice is hereby given that applicant(s) request that the Examiner consider the documents cited in the International Search Report according to MPEP §609 and so indicate by a statement in the first Office Action that the information has been considered. When the Form PCT/DO/EO/903 indicates both the search report and copies of the documents are present in the national stage file, there is no requirement for the applicant(s) to submit them (1156 O.G. 91 November 23, 1993).

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Marvin J. Spivak

Attorney of Record Registration No. 24,913

Surinder Sachar

Attorney of Record

Registration No. 34,423

22850

(703) 413-3000 Fax No. (703) 413-2220 (OSMMN 1/97) - DOCKET NO.: 205409US2PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Jan ARWALD, et al.

SERIAL NO.: NEW U.S. PCT APPLICATION

FILED: HEREWITH

INTERNATIONAL APPLICATION NO.: PCT/SE99/01830

INTERNATIONAL FILING DATE: 11 October 1999

FOR: METHOD, SYSTEM AND DEVICE FOR ESTABLISHING COMMUNICATION

BETWEEN DIFFERENT COMMUNICATION NETWORKS

REQUEST FOR PRIORITY UNDER 35 U.S.C. 119(e) AND THE INTERNATIONAL CONVENTION

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In the matter of the above-identified application for patent, notice is hereby given that the applicant claims as priority:

CO	UNTRY	

APPLICATION NO.

DAY/MONTH/YEAR

UNITED STATES

60/141,004

29 June 1999

A certified copy of the corresponding Convention application(s) was submitted to the International Bureau in PCT Application No. PCT/SE99/01830. Receipt of the certified copy(s) by the International Bureau in a timely manner under PCT Rule 17.1(a) has been acknowledged as evidenced by the attached PCT/IB/304.

Respectfully submitted, OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

22850

Marvin J. Spivak Attorney of Record

Registration No. 24,913

Surinder Sachar

Registration No. 34,423

(703) 413-3000 Fax No. (703) 413-2220 (OSMMN 1/97)



PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference Case 709 PCT	see Nouncation of	Transmittal of International Search Report 20) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/SE 99/01830	11 October 1999	12 October 1998
Applicant		
Telia AB (publ) et al		
This international search report co	as been prepared by this International Searchi A copy is being transmitted to the Internation cusists of a total of3 sheets.	ial Bureau.
1. Certain claims were found	unsearchable (See Box I).	
2. Unity of invention is lacki	ng (See Box II).	
3. The international applicating international search was c	ion contains disclosure of a nucleotide and/or carried out on the basis of the sequence listing filed with the international application.	amino acid sequence listing and the
	furnished by the applicant separately from the	e international application,
	but not accompanied by a statem matter going beyond the disclosur	ent to the effect that it did not include re in the international application as filed.
	transcribed by this Authority.	· -
4. With regard to the title, X	the text is approved as submitted by the appl	icant.
	the text has been established by this Authorit	y to read as follows:
,	he text is approved as submitted by the applic he text has been established, according to Rul	le 38.2(b), by this Authority as it appears
יו	a Box III. The applicant may, within one monational search report, submit comments to the	nth from the date of mailing of this interies Authority.
6. The figure of the drawings to be Figure No. 2	published with the abstract is: as suggested by the applicant.	<u></u>
	because the applicant failed to suggest a figure	None of the figures.
	because this figure better characterizes the inv	
<u> </u>	and the second contract of the second	Chidon.

International application No.

PCT/SE 99/01830

A: CLASSIFICATION OF SUBJECT MATTER

IPC7: H04L 12/66 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: H04L, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5239662 A (ARVIN D. DANIELSSON ET AL), 24 August 1993 (24.08.93), column 4, line 10 - column 5, line 51; column 13, line 15 - line 30, figures 3,5, claim 1	1-2,8-10, 16-18,20-21, 32
Y		3-7,11-15, 19,22-31
Y	WO 98/37724 A2 (TELEFONAKTIEBOLAGET LM ERICSSON), 27 August 1998 (27.08.98), page 8, line 19 - page 14, line 23, claim 13, abstract	3-7,11-15, 19,22-31
A		1-2,8-10, 16-18,20-21, 32

Further documents are listed in the continuation of Bo	x C. See patent family annex.
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance. 	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" erlier document but published on or after the international filing date "I." document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. "Y" document of particular relevance: the claimed invention cannot be considered to messive an inventive step when the document is considered with one or more other such documents, such combination.
Date of the actual completion of the international search 22 June 2000 Name and mailing address of the ISA Swedish Patent Office	Date of mailing of the international search report 27 -06- 2000 Authorized officer

RICKARD ELG/EE

Telephone No. + 46 8 782 25 00

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/01830

lategory*	Citation of document, with indication, where appropriate, of the relevant passage	es Relevant to claim N
A	EP 0758824 A1 (HONEYWELL INC.), 19 February 1997 (19.02.97), column 4, line 43 - column 5, line 11 figure 1	· ·

INTERNATIONAL SEARCH REPORT Information on patent family members

International application No.

02/12/99 | PCT/SE 99/01830

F cite	Patent document ed in search repor	1	Publication date	Patent family member(s)	Publication date
US	5239662	A	24/08/93	US 4972463 A	20/11/90
WO	98/37724	A2	27/08/98	NONE	
EP	0758824	A1	19/02/97	CA 2182355 A US 5691984 A	16/02/97 25/11/97

1 2

PCI

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To

PRAGSTEN, Rolf Telia Research AB Vitsandsgatan 9 S-123 86 Farsta SUÈDE Inkom Kgp Telia Research AB

2000 -01- 2 4

Applicant's or agent's file reference Case 709 PCT	IMPORTANT NOTIFICATION
	ł
International application No. PCT/SE99/01830	International filing date (day/month/year) 11 October 1999 (11.10.99)
International publication date (day/month/year) Not yet published	Priority date (day/month/year) 12 October 1998 (12.10.98)

- 1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u>	Priority application No.	Country or regional Office or PCT receiving Office	Date of receipt of priority document
12 Octo 1998 (12.10.98)	9803503-3	SE	07 Janu 2000 (07.01.00)
29 June 1999 (29.06.99)	60/141,004	US	NR

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

F. Zotomayor

p

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

From the INTERNATIONAL BUREAU

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL **APPLICATION TO THE DESIGNATED OFFICES**

(PCT Rule 47.1(c), first sentence)

To: Will Park You To Take The PRAGSTEN, Rolf Telia Research AB Vitsandsgatan 9 S-123 86 Farsta SUÈDE

inkom Kgp Telia Research AB

2000 -04- 2 8

Date of mailing (day/month/year) 20 April 2000 (20.04.00)		
Applicant's or agent's file reference Case 709 PCT	ı	MPORTANT NOTICE
International application No. PCT/SE99/01830	International filing date (day/month/year) 11 October 1999 (11.10.99)	Priority date (day/month/year) 12 October 1998 (12.10.98)

Applicant

TELIA AB (publ) et al

Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: JP,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time: EE, EP, LT, LV, NO

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 20 April 2000 (20.04.00) under No. WO 00/22789

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

H04L 12/66

(11) International Publication Number:

WO 00/22789

(43) International Publication Date:

20 April 2000 (20.04.00)

(21) International Application Number:

PCT/SE99/01830

A2

(22) International Filing Date:

11 October 1999 (11.10.99)

(30) Priority Data:

9803503-3 60/141,004 12 October 1998 (12.10.98) SE US

29 June 1999 (29.06.99)

(71) Applicant (for all designated States except US): TELIA AB (publ) [SE/SE]; Mårbackagatan 11, S-123 86 Farsta (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): ARWALD, Jan [SE/SE]; V. Skrävlingevägen 93, S-212 34 Malmö (SE). HAGBARD, Stefan [SE/SE]; Tykövägen 10, S-181 61 Lidingö (SE). ANDERSSON, Sten [SE/SE]; Bryggaregatan 12, S-277 36 Lund (SE). ERHULT, Margareta [SE/SE]; Vallavägen 7, S-136 41 Haninge (SE).

(74) Agent: PRAGSTEN, Rolf; Telia Research AB, Vitsandsgatan 9, S-123 86 Farsta (SE).

(81) Designated States: EE, JP, LT, LV, NO, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


Published

Without international search report and to be republished upon receipt of that report.

(54) Title: METHOD, SYSTEM AND DEVICE FOR ESTABLISHING COMMUNICATION BETWEEN DIFFERENT COMMUNICA-TION NETWORKS

(57) Abstract


A method, system and device for communication establishes communications sessions between otherwise incompatible communication networks. A central unit is used to facilitate communication systems between objects, by referring to a database of communication attributes associated with different communication networks used by a calling part and a called party. Rather than have direct connections from one communication network to a next communication network, and having unique translators to support such direct connections, each of the communications is directed to a central facility, that identifies common protocols that are supported by the different communication networks to be employed when establishing a communication session between a first communication network and a second communication network. Included at the central facility is a database having subscriber information, and a network number associated with a subscriber, where the network number has associated therewith different communication numbers assigned to that subscriber in the different communication networks at which the subscriber may be located.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	. zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



1. A communication device, comprising:

a central controller configured to establish a communication session between a first object and a second object, said first object employing a first communication protocol used in establishing a communication session with said central controller, said first object having a first adapter configured to translate between another protocol that is native to said first object and said first protocol, said second object having a second adapter, said second object employing a second communication protocol that is not compatible with said another communication protocol, wherein

10

15

5

said central controller including a protocol coordination mechanism that compares attributes of different protocols supported by said first adapter and said second adapter when establishing the communication session between the first object and the second object.

- 2. The device according to Claim 1, wherein said central controller includes a router that is configured to receive information from said first adapter and to coordinate said communication session between said first object and said second object.
 - 3. The device according to Claim 1, wherein:

said central controller includes a database having a list of subscribers with associated calling numbers in said database, said database hosting information associated with the calling numbers for different objects to which the subscribers belong.

20

4. The device according to Claim 1, wherein said central controller comprises a router that is configured to provide an interface between the first adapter and the second adapter; and

a database configured to hold a list of subscribers and calling numbers of the subscribers, wherein

25

said central controller being configured to access information in said database regarding services to be invoked when establishing said communication session between said first object and said second object and sending from said router control signals to at least one of the first adapter and the second adapter so as to establish a protocol to be employed by the

first adapter and the second adapter, when communicating during said communication session.

5. The device according to Claim 3, wherein:

5

15

20

25

entries in said list of subscribers in said database being changed when said central controller is notified of a subscriber moving from one object affiliation to another; and

new information associated with a movement of the subscriber, being employed to establish said communication session at a present object associated with said subscriber such that a change in calling numbers by said first object is not required in order to establish the communication session with the subscriber.

- 6. The device according to Claim 1, wherein said central controller includes a database having database entries that associate various calling numbers for a particular subscriber with an object and a net number for said subscriber.
 - 7. The device according to Claim 6, wherein said database is configured to associate one calling number included in a call request for a specific subscriber with a net number and another calling number at which said subscriber is available.
 - 8. The communication device of Claim 1, wherein said first object being one of a mobile telephone network, a wire-based telecommunication network, a cable television network, an Ethernet, and an electrical distribution network.
 - 9. A communication system, comprising:

a first adapter configured to translate between a native protocol used in a first object and a general protocol;

a central controller configured to communicate with said first adapter using said general protocol; and

a second adapter configured to establish a coordination session between said central controller and a second object, said second object employing another native protocol that is not compatible with said native protocol used by said first object, wherein

said central controller configured to establish a communication link between said first

object and said second object.

10. The system according to Claim 9, wherein said central controller includes a router that is configured to receive information from said first adapter and for coordinating said communication session between said first object and said second object.

5

11. The system according to Claim 9, wherein:

said central controller includes a database having a list of subscribers with associated calling numbers in said database, said database hosting information associated with the calling numbers, different objects to which the subscribers belong.

12. The system according to Claim 9, wherein:

10

15

said central controller comprises a router that is configured to provide an interface between the first adapter and the second adapter; and

a database configured to hold a list of subscribers and calling numbers of the subscribers, wherein:

said central controller being configured to access information in said database regarding services to be invoked when establishing said communication session between said first object and said second object and sending from said router control signals to at least one of the first adapter and the second adapter so as to establish a protocol to be employed by the first adapter and the second adapter, when communicating during said communication session.

20

25

13. The system according to Claim 9, wherein:

entries in said list of subscribers in said database being changed when said central controller is notified of a subscriber moving from one object affiliation to another; and

new information associated with a movement of the subscriber, being employed to establish said communication session at a present object associated with said subscriber such that a change in calling numbers by said first object is not required in order to establish the communication session with the subscriber.

14. The system according to Claim 9, wherein said central controller includes a

database having database entries that associate various calling numbers for a particular subscriber with an object and a net number for said subscriber.

15. The system according to Claim 9, wherein said database is configured to associate one calling number included in a call request for a specific subscriber with a net number and another calling number at which said subscriber is available.

5

10

15

20

25

- 16. The system of Claim 9, wherein said first object being one of a mobile telephone network, a wire-based telecommunication network, a cable television network, an Ethernet, and an electrical distribution network.
- 17. A method for communicating between objects employing incompatible communication protocols, comprising steps of:

sending coordination information from a first adapter associated with a first object to a central controller, including translating at said first adapter information formatted in a native protocol used in a first object to a general protocol;

receiving said coordination information at a central controller;

identifying at said central controller communication attributes of said first adapter and said first object and attributes associated with a second object having associated therewith a second adapter and another native protocol that is not compatible with the native protocol of said first object;

coordinating between said central controller, said first adapter and said second adapter substeps of

translating information sent from said first object in said native protocol, and receiving said information at said second object in said another protocol.

- 18. The method according to Claim 17, wherein said sending step and said receiving step includes sending said coordination information and receiving said coordination information when said coordinating information is formatted in a predetermined protocol that is different than said native protocol.
 - 19. The method according to Claim 17, wherein said coordinating step includes

establishing at said central controller whether said first adapter and said second adapter perform said step of translating information exclusively, and determining whether an intermediate translating step is required.

20. The method according to Claim 17 wherein said coordinating step includes directing said first adapter and said second adapter to translate said information into a predetermined protocol that is different from said native protocol and said another protocol.

5

10

15

20

25

- 21. The method according to Claim 20, wherein said translating step includes translating said information exclusively in said first adapter and said second adapter, and not in said central controller.
- 22. The method according to Claim 17, further comprising steps of:
 determining whether a activity in the first object requires communication outside of
 said object and initiating said sending step when said activity takes place outside of said first
 object.
- 23. The method according to Claim 22, wherein:
 said coordinating step includes contacting the second object and translating the
 information into a format that is a format supported by the second adapter for translating the
 format into the another protocol.
 - 24. The method according to Claim 17 further comprising:
 establishing a profile for a connection for a communication session between the first
 object and the second object so as to streamline future coordination for future communication
 sessions.
 - 25. The method according to Claim 24, wherein: said first object establishes a second object in which services for the communication session will be used.
 - 26. The method according to Claim 17, wherein:

said coordinating step is performed in a protocol coordination mechanism that handles and registers rules and conditions for communicating between the first object and second object.

27. The method according to Claim 26, further comprising:

establishing at said protocol coordination mechanism a service to be used, according to a user profile stored in a data base associated with a connection to be made.

- 28. The method according to Claim 27, wherein said coordinating step includes identifying specific rules for each of the first object and the second object.
 - 29. The method according to Claim 20, wherein:

5

10

15

20

25

said coordinating step includes indicating conditions for linking the first object and the second object by considering available factors including at least one of required channel distributions, requisite protocol translation operations, and cost in income distribution between the first object and the second object.

- 30. The method according to Claim 29, wherein said coordinating step includes registering agreements and conditions that are mutually agreed upon between the first object and the second object.
- 31. The method according to Claim 17, wherein said receiving step includes receiving said coordination information at the central controller wherein said central being accessible to each object for other objects in addition to the first object and the second object.
- 32. A system for communicating between objects employing incompatible communication protocols, comprising:

means for preparing coordination information at a first adapter associated with a first object, including means for translating information formatted in a native protocol used in a first object to a general protocol;

central controller means for receiving said coordination information and identifying communication attributes of said first adapter and said first object and attributes associated

with a second object having associated therewith a second adapter and another native protocol that is not compatible with the native protocol of said first object; and

means for coordinating translation of information sent from said first object in said native protocol, and receiving said information at said second object in said another protocol.

09/806484

PATENT COOPERATION TREATY

PCT

(PCT Article 36 and Rule 70)

RECO	2 -	_
	27 MAR 2001	
WIPO		- /
EPORT	PCT	⅃
EFURI	, 01	1

INTERNATIONAL PRELIMINARY EXAMINATION R

4

	Τ	C Nivie	cation of Transmittal of International
Applicant's or agent's file reference	FOR FURTHER ACTION	See Notifi Preliminar	y Examination Report (Form PCT/IPEA/416)
Case 709 PCT	International filing date (day/	month/year)	Priority date (day/month/year)
International application No. PCT/SE99/01830	11-10-1999	•	12-10-1998
International Patent Classification (IPC)		C ₇	
H04L 12/66	of Hattorial Classification and	- ,	
HU4L 12/66			ì
Applicant			
Telia AB (publ) et al	- •		
This international preliminary ex	amination report has been prepared	ared by this Int	ernational Preliminary Examining
Authority and is transmitted to t	he applicant according to Articl	e 36.	
2. This REPORT consists of a total	of 4 sheets, inc	luding this cov	er sheet.
		ts of the descri	ption, claims and/or drawings which have
V V 1 and and and are the	basis for this report 200/OF SUC	ets containing i	Collineations induce before and removed
(see Rule 70.16 and Section	on 607 of the Administrative In	structions unde	rine PC1).
These annexes consist of a total	of 6 sheets.		
3. This report contains indications	relating to the following items:		
1 Basis of the report			
II Priority			
III Non-establishment	of opinion with regard to novel	ty, inventive st	ep and industrial applicability
1 1		rd to povelty it	nventive step or industrial applicability;
Reasoned statemer citations and expla	nations supporting such stateme	ent	The state of the s
VI Certain documents			
VII Certain defects in t	the international application		
	ns on the international applicati	OΠ	
VIII Certain observatio	ns on the international approach	···	
			·
Date of submission of the demand	D	ate of completi	on of this report
10.05.2000	1	9.03.20	01
Name and mailing address of the IPEA	/SE A	uthorized offic	er
Patent- och registreringsverke Box 5055	et Telex 17978	,	
S-102 42 STOCKHOLM		Rickard	Elg/LR 08-782
E::1-Na 00-667 72 88	1 1	CICDHORE NO.	JU-102 23 00

Facsimile No. 08-667 72 88

Form PCT/IPEA/409 (cover sheet) (January 1998)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE99/01830

I. Ba	isis of the report					
1. Witl	1. With regard to the elements of the international application:*					
	the international application as originally filed					
\boxtimes	the description:					
حب	pages 1-21	, as originally filed				
	pages	, filed with the demand				
	pages, I	iled with the letter of				
\boxtimes	the claims:					
	pages	, as originally filed				
	pages a	s amended (together with any statement) under article 19				
	pages	, fried with the definant				
<u> </u>	pages 1-6	20.12.2000				
	the drawings:	, as originally filed				
	pages 1-6					
	pages,1	iled with the letter of				
	the sequence listing part of the description:					
	pages	, as originally filed				
	pages	, filed with the demand				
	pages	iled with the letter of				
the i	2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item. These elements were available or furnished to this Authority in the following language which is:					
	the language of a translation furnished for the purposes of internati	onal search (under Rule 23.1(b)).				
	the language of publication of the international application (under Rule 48.3(b)).					
	the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/ or 55.3).					
3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:						
	contained in the international application in written form.					
	filed together with the international application in computer readal	ole form.				
	furnished subsequently to this Authority in written form.					
	furnished subsequently to this Authority in computer readable form					
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.					
4.	The amendments have resulted in the cancellation of:					
	the description, pages					
	the claims, Nos.					
	the drawings, sheet/fig					
5.	This report has been established as if (some of) the amendments he beyond the disclosure as filed, as indicated in the Supplemental Bo	ad not been made, since they have been considered to go ox (Rule 70.2 (c)).**				
* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).						
** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.						
E. D. DCTADE A 1400 (D D. Cl						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE99/01830

V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicab			
	citations and explanations supporting such statement			

1. Statement			
Novelty (N)	Claims Claims	1-27	YES NO
Inventive step (IS)	Claims Claims	1-27	YES NO
Industrial applicability (IA)	Claims Claims	1-27	YES NO

2. Citations and explanations (Rule 70.7)

The invention relates to the establishment of a communication session between non-compatible networks and to make services in one network available to the other network. This is made possible by introducing a central controller with adapters between the networks. The central controller comprises a information The database hosts and a database. router associated with the subscribers. When a call is initiated to a subscriber, the central controller identifies the type of communication that is being requested and determines what type of connection is to be established.

The following documents have been cited in the International Search Report:

D1: US, A, 5239662 D2: WO, A2, 9837724 D3: EP, A1, 0758824

In the Written Opinion, the claimed invention was considered to lack novelty/inventive step in view of D1 and D2. The authority have changed its opinion regarding novelty and non-obviousness of the invention, due to the arguments and the new claims put forth in response to the Written Opinion. Former claims 1, 3 and 8 have been merged into new claim 1. New claim 7 is a combination of former claims 9, 11 and 16. New claim 13 is a combination of former claims 17 and 19.

Hence, it is not considered obvious to a person skilled in the art to arrive at the invention claimed in new claims 1-27 departing from any one, or any combination of documents D1-D3. The invention claimed in new claims 1-27 is novel and shows industrial applicability.

.../...

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE99/01830

Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: V

For the sake of completeness, prior art documents D1-D3 are briefly discussed:

Document D1 discloses a method for establishing communication between not compatible networks. The central controller communicates with the different networks through a common protocol. Each network comprises an adapter, which translates the protocol of the network to the common protocol communicating with the central controller. When translation the protocols used by the between instructions from the central controller are sent. The central controller may route the information to the respective endpoints (claim 1; fig. 3; col. 4, line 10 - col. 5, line 51 and col. 13, lines 15-30).

Document D2 describes a system comprising central unit, which enables communication between not compatible network's. unit comprises a database (250, SDLA), which hosts information associated with the subscribers, and an administrative node (260, SMCF; page 10, line 10-21 and page 17, lines 5-6). Each network comprises a module (Traffic Control and Routing, TCR) for routing the traffic in the network. The TCR controls the interaction of different layers of network communication protocols and interacts with other networks lines 19-29).The (Interworking Functions) (page 8, which is being stored in a sub-database (310), comprises different information associated with the user (page 11, line 29 - page 12, line 9). The central unit provides data control and network centralised information sharing, management across the plurality of associated claim 13). communications networks (abstract; CM, Management, CM, allocates, controls, and reconciles utilisation of shared network resources (page 14, lines 16-23). The central unit handles and registers certain rules for communication between different networks and utilisation of network resources in the different networks (page 10, lines 10-21; page 12, lines 1-9; page 14, lines 20-23). Mobility, resource allocation and routing between networks are made possible through SDLA and SMCF.

D3 describes a brouting switch that allows communication between external systems with differing protocols. (see abstract and fig.1)



PCT/SE 9 9 / 0 1 8 3 0 2 0 -12- 2000

Claims:

1. A communication device, comprising:

a central controller configured to establish a communication session between a first object and a second object, said first object employing a first communication protocol used in establishing a communication session with said central controller, said first object having a first adapter configured to translate between another protocol that is native to said first object and said first protocol, said second object having a second adapter, said second object employing a second communication protocol that is not compatible with said another communication protocol, wherein

said central controller including a protocol coordination mechanism that compares attributes of different protocols supported by said first adapter and said second adapter when establishing the communication session between the first object and the second object said central controller includes a database having a list of subscribers with associated calling numbers in said database, said database hosting information associated with the calling numbers for different objects to which the subscribers belong wherein said first object being one of a mobile telephone network, a wire-based telecommunication network, a cable television network, an Ethernet, and an electrical distribution network.

- 2. The device according to Claim 1, wherein said central controller includes a router that is configured to receive information from said first adapter and to coordinate said communication session between said first object and said second object.
- 3. The device according to Claim 1, wherein said central controller comprises a router that is configured to provide an interface between the first adapter and the second adapter; and

a database configured to hold a list of subscribers and calling numbers of the subscribers, wherein

said central controller being configured to access information in said database regarding services to be invoked when establishing said communication session between said first object and said second object and sending from said router control signals to at least one of the first adapter and the second adapter so as to establish a protocol to be employed by the first adapter and the second adapter, when communicating during said communication session.

PCT/ SE 9 9 / 0 1 8 3 0 2 0 -12- 2000

4. The device according to Claim 1, wherein:

entries in said list of subscribers in said database being changed when said central controller is notified of a subscriber moving from one object affiliation to another; and new information associated with a movement of the subscriber, being employed to establish said communication session at a present object associated with said subscriber such that a change in calling numbers by said first object is not required in order to establish the communication session with the subscriber.

- 5. The device according to Claim 1, wherein said central controller includes a database having database entries that associate various calling numbers for a particular subscriber with an object and a net number for said subscriber.
- 6. The device according to Claim 5, wherein said database is configured to associate one calling number included in a call request for a specific subscriber with a net number and another calling number at which said subscriber is available.
 - 7. A communication system, comprising:

a first adapter configured to translate between a native protocol used in a first object and a general protocol;

a central controller configured to communicate with said first adapter using said general protocol; and

a second adapter configured to establish a coordination session between said central controller and a second object, said second object employing another native protocol that is not compatible with said native protocol used by said first object, wherein

said central controller configured to establish a communication link between said first object and said second object said central controller includes a database having a list of subscribers with associated calling numbers in said database, said database hosting information associated with the calling numbers, different objects to which the subscribers belong said first object being one of a mobile telephone network, a wire-based telecommunication network, a cable television network, an Ethernet, and an electrical distribution network.

8. The system according to Claim 7, wherein said central controller includes a router that is configured to receive information from said first adapter and for coordinating said communication session between said first object and said second object.

9. The system according to Claim 7, wherein:

said central controller comprises a router that is configured to provide an interface between the first adapter and the second adapter; and

a database configured to hold a list of subscribers and calling numbers of the subscribers, wherein:

said central controller being configured to access information in said database regarding services to be invoked when establishing said communication session between said first object and said second object and sending from said router control signals to at least one of the first adapter and the second adapter so as to establish a protocol to be employed by the first adapter and the second adapter, when communicating during said communication session.

10. The system according to Claim 7, wherein:

entries in said list of subscribers in said database being changed when said central controller is notified of a subscriber moving from one object affiliation to another; and new information associated with a movement of the subscriber, being employed to establish said communication session at a present object associated with said subscriber such that a change in calling numbers by said first object is not required in order to establish the communication session with the subscriber.

- 11. The system according to Claim 7, wherein said central controller includes a database having database entries that associate various calling numbers for a particular subscriber with an object and a net number for said subscriber.
- 12. The system according to Claim 7, wherein said database is configured to associate one calling number included in a call request for a specific subscriber with a net number and another calling number at which said subscriber is available.

4

2 0 -12- 2000

13. A method for communicating between objects employing incompatible communication protocols, comprising steps of:

sending coordination information from a first adapter associated with a first object to a central controller, including translating at said first adapter information formatted in a native protocol used in a first object to a general protocol;


receiving said coordination information at a central controller;

identifying at said central controller communication attributes of said first adapter and said first object and attributes associated with a second object having associated therewith a second adapter and another native protocol that is not compatible with the native protocol of said first object;

coordinating between said central controller, said first adapter and said second adapter sub steps of

translating information sent from said first object in said native protocol, and receiving said information at said second object in said another protocol.

- 14. The method according to Claim 13, wherein said sending step and said receiving step includes sending said coordination information and receiving said coordination information when said coordinating information is formatted in a predetermined protocol that is different than said native protocol wherein said coordinating step includes establishing at said central controller whether said first adapter and said second adapter perform said step of translating information exclusively, and determining whether an intermediate translating step is required.
- 15. The method according to Claim 13 wherein said coordinating step includes directing said first adapter and said second adapter to translate said information into a predetermined protocol that is different from said native protocol and said another protocol.
- 16. The method according to Claim 15, wherein said translating step includes translating said information exclusively in said first adapter and said second adapter, and not in said central controller.
 - 17. The method according to Claim 13, further comprising steps of:



determining whether a activity in the first object requires communication outside of said object and initiating said sending step when said activity takes place outside of said first object.

18. The method according to Claim 17, wherein:

said coordinating step includes contacting the second object and translating the information into a format that is a format supported by the second adapter for translating the format into the another protocol.

19. The method according to Claim 13 further comprising:

establishing a profile for a connection for a communication session between the first object and the second object so as to streamline future coordination for future communication sessions.

20. The method according to Claim 19, wherein:

said first object establishes a second object in which services for the communication session will be used.

21. The method according to Claim 13, wherein:

said coordinating step is performed in a protocol coordination mechanism that handles and registers rules and conditions for communicating between the first object and second object.

- 22. The method according to Claim 21, further comprising:
 establishing at said protocol coordination mechanism a service to be used,
 according to a user profile stored in a data base associated with a connection to be made.
- 23. The method according to Claim 22, wherein said coordinating step includes identifying specific rules for each of the first object and the second object.
 - 24. The method according to Claim 15, wherein:

said coordinating step includes indicating conditions for linking the first object and the second object by considering available factors including at least one of required

channel distributions, requisite protocol translation operations, and cost in income distribution between the first object and the second object.

- 25. The method according to Claim 24, wherein said coordinating step includes registering agreements and conditions that are mutually agreed upon between the first object and the second object.
- 26. The method according to Claim 13, wherein said receiving step includes receiving said coordination information at the central controller wherein said central being accessible to each object for other objects in addition to the first object and the second object.
- A system for communicating between objects employing incompatible communication protocols, comprising:

means for preparing coordination information at a first adapter associated with a first object, including means for translating information formatted in a native protocol used in a first object to a general protocol;

central controller means for receiving said coordination information and identifying communication attributes of said first adapter and said first object and attributes associated with a second object having associated therewith a second adapter and another native protocol that is not compatible with the native protocol of said first object; and

means for coordinating translation of information sent from said first object in said native protocol, and receiving said information at said second object in said another protocol.